

**VASCULAR PLANTS OF THE FOREST RIVER BIOLOGY STATION, NORTH DAKOTA**—During summer 2013 we completed a listing of the plant species of the joint University of North Dakota (UND) Forest River Biology Station and North Dakota Game and Fish Department Wildlife Management Area (FRBS). The FRBS is a 65 ha tract of land that encompasses the south half of the SW ¼ of section 11 (acquired by UND in 1952) and the north half of the NW ¼ of section 14 (acquired by UND in 1954) in Inkster Township (T154N, R55W). The two parcels are bisected by the Forest River, a tributary of the Red River of the North. The area contains a unique mix of representative eastern North Dakota upland prairie and riparian plant communities. Several spring-fed creeks flow into the river, and the site contains numerous ravines that lead from drier upland prairies to wide terraces along the river bottom. As a result of this variation in topography and moisture, the site contains a wide variety of sharply contrasting vegetation types.

We collated species lists and collection dates (if known) from previous survey efforts (La Duke et al., unpublished data) and regional herbaria. We visited the site monthly (Jun–Aug) in summer 2013 and collected more than 150 plant samples. Specimens were jointly deposited into the Minot State University (MISU) and UND (GFND) herbaria.

Our collection efforts were focused on documenting rare or regionally unlisted species. We documented 24 species that had not previously been associated with the site, and collected vouchers for an additional 21 species which were

known to occur at the site. Despite this effort, 88 species in La Duke et al. (unpublished data) are not yet supported with collections, but have been included with this list. Nomenclature and taxon concepts are given in the accordance with USDA PLANTS database (United States Department of Agriculture 2013), and the Flora of North America (Flora of North America Editorial Committee 1993).

We recorded 498 plant species from 77 families in the FRBS (Appendix A), which is greater than the number of species listed for the UND Oakville Prairie Field Station (Facey et al. 1986). Seventy-five percent of the species are native to North America (USDA 2013), and we conducted a site-wide Floristic Quality Analysis using C values (coefficients of conservatism) from Northern Great Plains Floristic Quality Assessment Panel (2001). The native flora of the site had a mean C value of 5.38 and a Floristic Quality Index of 26, indicating that the site contains native flora indicative of a disturbed natural area. Data collected as part of this project will contribute to developing future management benchmarks to reduce woody and non-native invaders throughout FRBS.—*Alexey Shipunov<sup>1</sup>, Kathryn A. Yurkonis<sup>2</sup>, John C. La Duke<sup>3</sup>, and Vera L. Facey<sup>2, 4</sup>.*<sup>1</sup>Department of Biology, Minot State University, Minot, ND 58707, USA, <sup>2</sup>Department of Biology, University of North Dakota, Grand Forks, ND 58202, USA, <sup>3</sup>College of Natural and Social Sciences, University of Nebraska at Kearney, Kearney, NE 68849, USA, <sup>4</sup>deceased; Corresponding author email address: alexey.shipunov@minotstateu.edu.

## Appendix A. Vascular plant species list.

### I. Adoxaceae

1. *Viburnum lentago* L.
2. *Viburnum opulus* L.
3. *Viburnum rafinesqueanum* Schult.

### II. Alismataceae

4. *Alisma subcordatum* Raf.
5. *Sagittaria cuneata* Sheldon
6. *Sagittaria latifolia* Willd.

### III. Amaranthaceae

7. *Amaranthus albus* L.
8. *Amaranthus retroflexus* L.
9. *Chenopodium album* L.
10. *Chenopodium leptophyllum* (Moq.) Nutt. ex S. Watson
11. *Chenopodium simplex* (Torr.) Raf.
12. *Corispermum villosum* Rydb.
13. *Salsola tragus* L.

### IV. Amaryllidaceae

14. *Allium stellatum* Fraser ex Ker Gawl.
15. *Allium textile* A. Nelson & J.F. Macbr.
16. *Allium tricoccum* Aiton

### V. Anacardiaceae

17. *Rhus glabra* L.
18. *Toxicodendron radicans* (L.) Kuntze

### VI. Apiaceae

19. *Cicuta maculata* L.
20. *Cryptotaenia canadensis* (L.) DC.
21. *Cymopterus acaulis* (Pursh) Raf.
22. *Daucus carota* L.
23. *Heracleum maximum* Bartram
24. *Lomatium foeniculaceum* (Nutt.) J.M. Coulter & Rose
25. *Lomatium orientale* J.M. Coulter & Rose
26. *Osmorhiza claytonii* (Michx.) C.B. Clarke
27. *Osmorhiza longistylis* (Torr.) DC.
28. *Sanicula marilandica* L.
29. *Sium suave* Walter
30. *Zizia aptera* (A. Gray) Fernald
31. *Zizia aurea* (L.) W.D.J. Koch

### VII. Apocynaceae

32. *Apocynum androsaemifolium* L.
33. *Apocynum cannabinum* L.

- 
34. *Asclepias incarnata* L.  
 35. *Asclepias lanuginosa* Nutt.  
 36. *Asclepias ovalifolia* Decne.  
 37. *Asclepias syriaca* L.  
 38. *Asclepias verticillata* L.

**VIII. Araceae**

39. *Arisaema triphyllum* (L.) Schott  
 40. *Lemna minor* L.  
 41. *Spirodela polyrrhiza* (L.) Schleid.

**IX. Araliaceae**

42. *Aralia nudicaulis* L.

**X. Asparagaceae**

43. *Asparagus officinalis* L.  
 44. *Maianthemum canadense* Desf.  
 45. *Maianthemum racemosum* (L.) Link  
 46. *Maianthemum stellatum* (L.) Link  
 47. *Maianthemum trifolium* (L.) Sloboda  
 48. *Polygonatum biflorum* (Walter) Elliott

**XI. Asteraceae**

49. *Achillea millefolium* L.  
 50. *Achillea sibirica* Ledeb.  
 51. *Agoseris glauca* (Pursh) Raf.  
 52. *Ambrosia artemisiifolia* L.  
 53. *Ambrosia trifida* L.  
 54. *Antennaria howellii* Greene  
 55. *Antennaria neglecta* Greene  
 56. *Antennaria parvifolia* Nutt.  
 57. *Antennaria plantaginifolia* (L.) Richardson  
 58. *Arctium minus* Bernh.  
 59. *Artemisia absinthium* L.  
 60. *Artemisia campestris* L.  
 61. *Artemisia dracunculus* L.  
 62. *Artemisia frigida* Willd.  
 63. *Artemisia ludoviciana* Nutt.  
 64. *Bidens cernua* L.  
 65. *Bidens frondosa* L.  
 66. *Carduus nutans* L.  
 67. *Cirsium arvense* (L.) Scop.  
 68. *Cirsium undulatum* (Nutt.) Spreng.  
 69. *Cirsium vulgare* (Savi) Ten.  
 70. *Conyza canadensis* (L.) Cronquist  
 71. *Cyclachaena xanthifolia* (Nutt.) Fresen.  
 72. *Echinacea angustifolia* DC.  
 73. *Erigeron glabellus* Nutt.  
 74. *Erigeron philadelphicus* L.  
 75. *Erigeron strigosus* Muhl. ex Willd.  
 76. *Euthamia graminifolia* (L.) Nutt.
- 

77. *Eutrochium maculatum* (L.) E.E. Lamont  
 78. *Gaillardia aristata* Pursh  
 79. *Grindelia squarrosa* (Pursh) Dunal  
 80. *Gutierrezia sarothrae* (Pursh) Britton & Rusby  
 81. *Helianthus pauciflorus* Nutt.  
 82. *Helianthus strumosus* L.  
 83. *Heliopsis helianthoides* (L.) Sweet  
 84. *Heterotheca villosa* (Pursh) Shinners  
 85. *Hieracium canadense* Michx.  
 86. *Hieracium umbellatum* L.  
 87. *Lactuca tatarica* (L.) C.A. Mey.  
 88. *Liatris punctata* Hook.  
 89. *Lygodesmia juncea* (Pursh) D. Don ex Hook.  
 90. *Oligoneuron rigidum* (L.) Small  
 91. *Packera aurea* (L.) Á. Löve & D. Löve  
 92. *Packera plattensis* (Nutt.) W.A. Weber & Á. Löve  
 93. *Prenanthes alba* L.  
 94. *Ratibida columnifera* (Nutt.) Woot. & Standl.  
 95. *Rudbeckia hirta* L.  
 96. *Rudbeckia laciniata* L.  
 97. *Senecio congestus* (R. Br.) DC.  
 98. *Solidago canadensis* L.  
 99. *Solidago flexicaulis* L.  
 100. *Solidago gigantea* Aiton  
 101. *Solidago missouriensis* Nutt.  
 102. *Solidago mollis* Bartlett  
 103. *Solidago nemoralis* Aiton  
 104. *Sonchus arvensis* L.  
 105. *Sonchus asper* (L.) Hill  
 106. *Symphyotrichum ascendens* (Lindl.) G.L. Nesom  
 107. *Symphyotrichum ciliatum* (Ledeb.) G.L. Nesom  
 108. *Symphyotrichum ciliolatum* (Lindl.) Á. Löve & D. Löve  
 109. *Symphyotrichum cordifolium* (L.) G.L. Nesom  
 110. *Symphyotrichum ericoides* (L.) G.L. Nesom  
 111. *Symphyotrichum laeve* (L.) Á. Löve & D. Löve  
 112. *Symphyotrichum lanceolatum* (Willd.) G.L. Nesom  
 113. *Symphyotrichum oblongifolium* (Nutt.) G.L. Nesom  
 114. *Symphyotrichum praealtum* (Poir.) G.L. Nesom  
 115. *Symphyotrichum puniceum* (L.) Á. Löve & D. Löve  
 116. *Tanacetum vulgare* L.  
 117. *Taraxacum laevigatum* (Willd.) DC.  
 118. *Taraxacum officinale* F.H. Wigg.  
 119. *Tragopogon dubius* Scop.  
 120. *Tripleurospermum perforatum* (Mérat) M. Lainz  
 121. *Vernonia baldwinii* Torr.  
 122. *Vernonia fasciculata* Michx.  
 123. *Xanthium strumarium* L.
-

**XII. Balsaminaceae**124. *Impatiens capensis* Meerb.125. *Impatiens pallida* Nutt.**XIII. Betulaceae**126. *Betula papyrifera* Marsh.127. *Corylus americana* Walter128. *Corylus cornuta* Marsh.129. *Ostrya virginiana* (Mill.) K. Koch**XIV. Boraginaceae**130. *Cynoglossum officinale* L.131. *Hackelia deflexa* (Wahlenb.) Opiz132. *Hackelia virginiana* (L.) I.M. Johnst.133. *Lappula squarrosa* (Retz.) Dumort.134. *Lithospermum canescens* (Michx.) Lehm.135. *Lithospermum incisum* Lehm.136. *Onosmodium bejariense* DC. ex A. DC.**XV. Brassicaceae**137. *Arabis drummondii* A. Gray138. *Arabis holboellii* Hornem.139. *Capsella bursa-pastoris* (L.) Medik.140. *Cardamine pensylvanica* Muhl. ex Willd.141. *Descurainia incana* (Bernh. ex Fisch. & C.A. Mey.) Dorn142. *Descurainia pinnata* (Walter) Britton143. *Draba nemorosa* L.144. *Draba reptans* (Lam.) Fernald145. *Erysimum cheiranthoides* L.146. *Erysimum inconspicuum* (S. Watson) MacMill.147. *Lepidium densiflorum* Schrad.148. *Lepidium virginicum* L.149. *Lesquerella arenosa* (Richardson) Rydb.150. *Rorippa islandica* (Oeder) Borbás151. *Rorippa palustris* (L.) Besser152. *Sinapis arvensis* L.153. *Sisymbrium altissimum* L.154. *Sisymbrium loeselii* L.155. *Sisymbrium officinale* (L.) Scop.156. *Thlaspi arvense* L.**XVI. Campanulaceae**157. *Campanula rapunculoides* L.158. *Campanula rotundifolia* L.159. *Lobelia spicata* Lam.**XVII. Cannabaceae**160. *Humulus lupulus* L.**XVIII. Caprifoliaceae**161. *Lonicera dioica* L.162. *Lonicera morrowii* A. Gray163. *Symporicarpos albus* (L.) S.F. Blake164. *Symporicarpos occidentalis* Hook.**XIX. Caryophyllaceae**165. *Cerastium arvense* L.166. *Cerastium nutans* Raf.167. *Moehringia lateriflora* (L.) Fenzl168. *Stellaria longifolia* Muhl. ex Willd.**XX. Celastraceae**169. *Celastrus scandens* L.**XXI. Convolvulaceae**170. *Calystegia sepium* (L.) R. Br.171. *Convolvulus arvensis* L.172. *Cuscuta gronovii* Willd. ex Schult.**XXII. Cornaceae**173. *Cornus sericea* L.**XXIII. Cucurbitaceae**174. *Echinocystis lobata* (Michx.) Torr. & A. Gray**XXIV. Cyperaceae**175. *Carex aquatilis* Wahlenb.176. *Carex assiniboinensis* W. Boott177. *Carex atherodes* Spreng.178. *Carex aurea* Nutt.179. *Carex bebbii* Olney ex Fernald180. *Carex blanda* Dewey181. *Carex brevior* (Dewey) Mack.182. *Carex conjuncta* Boott183. *Carex deweyana* Schwein.184. *Carex diandra* Schrank185. *Carex duriuscula* C.A. Mey.186. *Carex eburnea* Boott187. *Carex echinata* Murray188. *Carex emoryi* Dewey189. *Carex granularis* Muhl. ex Willd.190. *Carex gravida* L.H. Bailey191. *Carex hystericina* Muhl. ex Willd.192. *Carex laeviconica* Dewey193. *Carex laxiflora* Lam.194. *Carex mackenziei* Krecz.195. *Carex peckii* Howe196. *Carex pellita* Muhl. ex Willd.197. *Carex pensylvanica* Lam.198. *Carex praegracilis* W. Boott199. *Carex pseudocyperus* L.200. *Carex retrorsa* Schwein.201. *Carex rosea* Schkuhr ex Willd.202. *Carex rostrata* Stokes

- 
203. *Carex saximontana* Mack.  
 204. *Carex scoparia* Schkuhr ex Willd.  
 205. *Carex sprengelii* Dewey ex Spreng.  
 206. *Carex stipata* Muhl. ex Willd.  
 207. *Carex tenera* Dewey  
 208. *Carex tetanica* Schkuhr  
 209. *Carex torreyi* Tuck.  
 210. *Carex tribuloides* Wahlenb.  
 211. *Carex vulpinoidea* Michx.  
 212. *Carex*×*subimpressa* Clokey  
 213. *Eleocharis engelmannii* Steud.  
 214. *Eleocharis erythropoda* Steud.  
 215. *Eleocharis palustris* (L.) Roem. & Schult.  
 216. *Schoenoplectus americanus* (Pers.) Volkart ex Schinz & R. Keller  
 217. *Schoenoplectus fluviatilis* (Torr.) M.T. Strong  
 218. *Schoenoplectus tabernaemontani* (C.C. Gmel.) Palla  
 219. *Scirpus atrovirens* Willd.  
 220. *Scirpus microcarpus* J. Presl & C. Presl  
**XXV. Elaeagnaceae**  
 221. *Elaeagnus commutata* Bernh. ex Rydb.  
**XXVI. Equisetaceae**  
 222. *Equisetum arvense* L.  
 223. *Equisetum hyemale* L.  
 224. *Equisetum laevigatum* A. Braun  
 225. *Equisetum pratense* Ehrh.  
**XXVII. Ericaceae**  
 226. *Orthilia secunda* (L.) House  
**XXVIII. Euphorbiaceae**  
 227. *Chamaesyce serpyllifolia* (Pers.) Small  
 228. *Euphorbia esula* L.  
**XXIX. Fabaceae**  
 229. *Amorpha canescens* Pursh  
 230. *Amorpha fruticosa* L.  
 231. *Amphicarpa bracteata* (L.) Fernald  
 232. *Astragalus agrestis* Douglas ex G. Don  
 233. *Astragalus crassicarpus* Nutt.  
 234. *Astragalus lotiflorus* Hook.  
 235. *Astragalus missouriensis* Nutt.  
 236. *Dalea candida* Michx. ex Willd.  
 237. *Dalea purpurea* Vent.  
 238. *Desmodium canadense* (L.) DC.  
 239. *Desmodium illinoense* A. Gray  
 240. *Glycyrrhiza lepidota* Pursh  
 241. *Lathyrus ochroleucus* Hook.  
 242. *Lathyrus venosus* Muhl. ex Willd.  
 243. *Medicago lupulina* L.  
 244. *Medicago sativa* L.  


---

 245. *Melilotus officinalis* (L.) Lam.  
 246. *Oxytropis lambertii* Pursh  
 247. *Pediomelum argophyllum* (Pursh) J. Grimes  
 248. *Pediomelum esculentum* (Pursh) Rydb.  
 249. *Trifolium repens* L.  
 250. *Vicia americana* Muhl. ex Willd.  
 251. *Vicia sativa* L.  
**XXX. Fagaceae**  
 252. *Quercus macrocarpa* Michx.  
**XXXI. Gentianaceae**  
 253. *Gentiana andrewsii* Griseb.  
**XXXII. Geraniaceae**  
 254. *Geranium carolinianum* L.  
**XXXIII. Hydrocharitaceae**  
 255. *Elodea canadensis* Michx.  
 256. *Elodea nuttallii* (Planch.) H. St. John  
**XXXIV. Hydrophyllaceae**  
 257. *Ellisia nyctelea* (L.) L.  
 258. *Hydrophyllum virginianum* L.  
**XXXV. Iridaceae**  
 259. *Sisyrinchium montanum* Greene  
**XXXVI. Juncaceae**  
 260. *Juncus arcticus* Willd.  
 261. *Juncus bufonius* L.  
 262. *Juncus canadensis* J. Gay ex Laharpe  
 263. *Juncus dudleyi* Wiegand  
 264. *Juncus interior* Wiegand  
 265. *Juncus longistylis* Torr.  
 266. *Juncus nodosus* L.  
**XXXVII. Lamiaceae**  
 267. *Agastache foeniculum* (Pursh) Kuntze  
 268. *Galeopsis tetrahit* L.  
 269. *Hedeoma hispida* Pursh  
 270. *Leonurus cardiaca* L.  
 271. *Lycopus americanus* Muhl. ex W. Bartram  
 272. *Mentha arvensis* L.  
 273. *Monarda fistulosa* L.  
 274. *Nepeta cataria* L.  
 275. *Physostegia parviflora* Nutt. ex A. Gray  
 276. *Salvia*×*sylvestris* L.  
 277. *Scutellaria galericulata* L.  
 278. *Scutellaria lateriflora* L.  
 279. *Scutellaria parvula* Michx.  
 280. *Stachys palustris* L.  
**XXXVIII. Liliaceae**  
 281. *Lilium philadelphicum* L.
-

**XXXIX. Linaceae**282. *Linum rigidum* Pursh**XL. Malvaceae**283. *Tilia americana* L.**XLI. Melanthiaceae**284. *Trillium cernuum* L.285. *Zigadenus elegans* Pursh**XLII. Menispermaceae**286. *Menispermum canadense* L.**XLIII. Nyctaginaceae**287. *Mirabilis hirsuta* (Pursh) MacMill.288. *Mirabilis nyctaginea* (Michx.) MacMill.**XLIV. Nymphaeaceae**289. *Nuphar lutea* (L.) Sm.**XLV. Oleaceae**290. *Fraxinus pennsylvanica* Marsh.**XLVI. Onagraceae**291. *Calylophus serrulatus* (Nutt.) P.H. Raven292. *Circaeaa lutetiana* L.293. *Epilobium ciliatum* Raf.294. *Epilobium leptophyllum* Raf.295. *Gaura coccinea* Nutt. ex Pursh296. *Oenothera biennis* L.297. *Oenothera nuttallii* Sweet298. *Oenothera rhombipetala* Nutt. ex Torr. & A. Gray299. *Oenothera villosa* Thunb.**XLVII. Ophioglossaceae**300. *Botrychium virginianum* (L.) Sw.301. *Ophioglossum vulgatum* L.**XLVIII. Orchidaceae**302. *Corallorrhiza maculata* (Raf.) Raf.303. *Corallorrhiza striata* Lindl.304. *Cypripedium parviflorum* Salisb.305. *Dactylorhiza viridis* (L.) R.M. Bateman, A.M. Pridgeon & M.W. Chase306. *Platanthera aquilonis* Sheviak**XLIX. Orobanchaceae**307. *Orobanche fasciculata* Nutt.308. *Orthocarpus luteus* Nutt.309. *Pedicularis canadensis* L.**L. Oxalidaceae**310. *Oxalis stricta* L.**LI. Papaveraceae**311. *Corydalis aurea* Willd.312. *Sanguinaria canadensis* L.**LII. Phrymaceae**313. *Mimulus glabratus* Kunth314. *Mimulus guttatus* DC.315. *Mimulus ringens* L.316. *Phryma leptostachya* L.**LIII. Plantaginaceae**317. *Hippuris vulgaris* L.318. *Penstemon albidus* Nutt.319. *Penstemon gracilis* Nutt.320. *Plantago major* L.321. *Veronica americana* Schwein. ex Benth.322. *Veronica anagallis-aquatica* L.**LIV. Poaceae**323. *Agropyron cristatum* (L.) Gaertn.324. *Agrostis gigantea* Roth325. *Agrostis perennans* (Walter) Tuck.326. *Agrostis scabra* Willd.327. *Andropogon gerardii* Vitman328. *Avena fatua* L.329. *Beckmannia syzigachne* (Steud.) Fernald330. *Bouteloua curtipendula* (Michx.) Torr.331. *Bouteloua gracilis* (Willd. ex Kunth) Lag. ex Griffiths332. *Bromus ciliatus* L.333. *Bromus inermis* Leyss.334. *Bromus kalmii* A. Gray335. *Bromus latiglumis* (Shear) Hitchc.336. *Calamagrostis canadensis* (Michx.) P. Beauv.337. *Calamagrostis stricta* (Timm) Koeler338. *Calamovilfa longifolia* (Hook.) Scribn.339. *Catabrosa aquatica* (L.) P. Beauv.340. *Dichanthelium leibergii* (Vasey) Freckmann341. *Echinochloa crus-galli* (L.) P. Beauv.342. *Elymus canadensis* L.343. *Elymus hystrix* L.344. *Elymus interruptus* Buckley345. *Elymus lanceolatus* (Scribn. & J.G. Sm.) Gould346. *Elymus repens* (L.) Gould347. *Elymus trachycaulis* (Link) Gould ex Shinners348. *Elymus villosus* Muhl. ex Willd.349. *Elymus virginicus* L.350. *Eragrostis cilianensis* (All.) Vign. ex Janchen351. *Eragrostis hypnoides* (Lam.) Britton, Sterns & Poggenb.352. *Festuca subverticillata* (Pers.) Alexeev353. *Glyceria grandis* S. Watson354. *Glyceria striata* (Lam.) Hitchc.355. *Hesperostipa comata* (Trin. & Rupr.) Barkworth356. *Hesperostipa spartea* (Trin.) Barkworth357. *Hierochloe odorata* (L.) P. Beauv.358. *Hordeum jubatum* L.359. *Koeleria macrantha* (Ledeb.) Schult.

- 
360. *Leersia oryzoides* (L.) Sw.  
 361. *Muhlenbergia cuspidata* (Torr. ex Hook.) Rydb.  
 362. *Muhlenbergia frondosa* (Poir.) Fernald  
 363. *Muhlenbergia mexicana* (L.) Trin.  
 364. *Muhlenbergia racemosa* (Michx.) Britton, Sterns & Poggenb.  
 365. *Muhlenbergia richardsonis* (Trin.) Rydb.  
 366. *Nassella viridula* (Trin.) Barkworth  
 367. *Oryzopsis asperifolia* Michx.  
 368. *Panicum capillare* L.  
 369. *Patis racemosa* (Sm.) Romasch., P.M. Peterson & R. J. Soreng  
 370. *Phalaris arundinacea* L.  
 371. *Phleum pratense* L.  
 372. *Poa compressa* L.  
 373. *Poa nemoralis* L.  
 374. *Poa palustris* L.  
 375. *Poa pratensis* L.  
 376. *Poa secunda* J. Presl  
 377. *Schizachne purpurascens* (Torr.) Swallen  
 378. *Schizachyrium scoparium* (Michx.) Nash  
 379. *Setaria pumila* (Poir.) Roem. & Schult.  
 380. *Setaria viridis* (L.) P. Beauv.  
 381. *Spartina pectinata* Bosc ex Link  
 382. *Sphenopholis intermedia* (Rydb.) Rydb.  
 383. *Sporobolus cryptandrus* (Torr.) A. Gray  
 384. *× Elyhordeum macounii* (Vasey) Barkworth & D.R. Dewey  
 385. *Zizania aquatica* L.
- LV. Polemoniaceae**  
 386. *Collomia linearis* Nutt.
- LVI. Polygonaceae**  
 387. *Polygonum achoreum* S.F. Blake  
 388. *Polygonum amphibium* L.  
 389. *Polygonum aviculare* L.  
 390. *Polygonum convolvulus* L.  
 391. *Polygonum hydropiper* L.  
 392. *Polygonum lapathifolium* L.  
 393. *Polygonum pensylvanicum* L.  
 394. *Polygonum persicaria* L.  
 395. *Rumex aquaticus* L.  
 396. *Rumex crispus* L.  
 397. *Rumex longifolius* DC.  
 398. *Rumex maritimus* L.
- LVII. Polypodiaceae**  
 399. *Athyrium filix-femina* (L.) Roth  
 400. *Onoclea struthiopteris* (L.) Hoffm.
- LVIII. Pontederiaceae**  
 401. *Heteranthera dubia* (Jacq.) MacMill.
- 

- LIX. Potamogetonaceae**  
 402. *Potamogeton amplifolius* Tuck.  
 403. *Potamogeton foliosus* Raf.  
 404. *Potamogeton zosteriformis* Fernald  
 405. *Stuckenia filiformis* (Pers.) Börner  
 406. *Stuckenia pectinata* (L.) Börner  
 407. *Stuckenia vaginata* (Turcz.) Holub
- LX. Primulaceae**  
 408. *Androsace occidentalis* Pursh  
 409. *Lysimachia ciliata* L.
- LXI. Ranunculaceae**  
 410. *Actaea rubra* (Aiton) Willd.  
 411. *Anemone canadensis* L.  
 412. *Anemone cylindrica* A. Gray  
 413. *Anemone virginiana* L.  
 414. *Aquilegia canadensis* L.  
 415. *Caltha palustris* L.  
 416. *Clematis virginiana* L.  
 417. *Delphinium carolinianum* Walter  
 418. *Pulsatilla patens* (L.) Mill.  
 419. *Ranunculus abortivus* L.  
 420. *Ranunculus aquatilis* L.  
 421. *Ranunculus cymbalaria* Pursh  
 422. *Ranunculus macounii* Britton  
 423. *Ranunculus pensylvanicus* L. f.  
 424. *Ranunculus recurvatus* Poir.  
 425. *Ranunculus rhomboideus* Goldie  
 426. *Ranunculus sceleratus* L.  
 427. *Thalictrum dasycarpum* Fisch. & Avé-Lall.  
 428. *Thalictrum venulosum* Trel.
- LXII. Rhamnaceae**  
 429. *Rhamnus cathartica* L.
- LXIII. Rosaceae**  
 430. *Amelanchier alnifolia* (Nutt.) Nutt. ex M. Roem.  
 431. *Amelanchier humilis* Wiegand  
 432. *Argentina anserina* (L.) Rydb.  
 433. *Crataegus chrysocarpa* Ashe  
 434. *Fragaria virginiana* Duchesne  
 435. *Geum aleppicum* Jacq.  
 436. *Geum canadense* Jacq.  
 437. *Geum macrophyllum* Willd.  
 438. *Geum triflorum* Pursh  
 439. *Potentilla argentea* L.  
 440. *Potentilla concinna* Richardson  
 441. *Potentilla norvegica* L.  
 442. *Potentilla paradoxa* Nutt.
-

---

443. *Potentilla pensylvanica* L.

444. *Prunus americana* Marsh.

445. *Prunus pensylvanica* L. f.

446. *Prunus virginiana* L.

447. *Rosa arkansana* Porter

448. *Rosa blanda* Aiton

449. *Rubus idaeus* L.

450. *Rubus pubescens* Raf.

451. *Spiraea alba* Du Roi

#### **LXIV. Rubiaceae**

452. *Galium aparine* L.

453. *Galium boreale* L.

454. *Galium trifidum* L.

455. *Galium triflorum* Michx.

#### **LXV. Salicaceae**

456. *Populus balsamifera* L.

457. *Populus deltoides* Bartram ex Marsh.

458. *Populus tremuloides* Michx.

459. *Salix amygdaloides* Andersson

460. *Salix bebbiana* Sarg.

461. *Salix cordata* Michx.

462. *Salix discolor* Muhl.

463. *Salix exigua* Nutt.

464. *Salix humilis* Marsh.

465. *Salix interior* Rowlee

466. *Salix lutea* Nutt.

#### **LXVI. Santalaceae**

467. *Comandra umbellata* (L.) Nutt.

#### **LXVII. Sapindaceae**

468. *Acer negundo* L.

#### **LXVIII. Saxifragaceae**

469. *Heuchera richardsonii* R. Br.

470. *Ribes americanum* Mill.

471. *Ribes hirtellum* Michx.

472. *Ribes missouriense* Nutt.

#### **LXIX. Scrophulariaceae**

473. *Limosella aquatica* L.

474. *Scrophularia lanceolata* Pursh

#### **LXX. Smilacaceae**

475. *Smilax herbacea* L.

#### **LXXI. Solanaceae**

476. *Physalis lanceolata* Michx.

477. *Physalis virginiana* Mill.

478. *Solanum dulcamara* L.

479. *Solanum nigrum* L.

---

#### **LXXII. Typhaceae**

480. *Sparganium eurycarpum* Engelm.

481. *Typha angustifolia* L.

482. *Typha latifolia* L.

#### **LXXIII. Ulmaceae**

483. *Ulmus americana* L.

#### **LXXIV. Urticaceae**

484. *Laportea canadensis* (L.) Weddell

485. *Parietaria pensylvanica* Muhl. ex Willd.

486. *Urtica dioica* L.

#### **LXXV. Verbenaceae**

487. *Verbena bracteata* Cav. ex Lag. & Rodr.

488. *Verbena hastata* L.

489. *Verbena stricta* Vent.

490. *Verbena urticifolia* L.

#### **LXXVI. Violaceae**

491. *Viola canadensis* L.

492. *Viola nuttallii* Pursh

493. *Viola pedatifida* G. Don

494. *Viola pubescens* Aiton

495. *Viola sororia* Willd.

#### **LXXVII. Vitaceae**

496. *Parthenocissus quinquefolia* (L.) Planch.

497. *Parthenocissus vitacea* (Knerr) Hitchc.

498. *Vitis vulpina* L.

---

#### **LITERATURE CITED**

Facey, V., J. La Duke, and A. M. Wyckoff. 1986. Vascular plants of Oakville Prairie, North Dakota. The Prairie Naturalist 18:203–210.

Flora of North America Editorial Committee. 1993. Flora of North America: North of Mexico. Vol. 1–8, 19–26. Oxford University Press, New York, New York, USA.

Northern Great Plains Floristic Quality Assessment Panel. 2001. Floristic quality assessment for plant communities of North Dakota, South Dakota (excluding the Black Hills), and adjacent grasslands. Jamestown, ND: Northern Prairie Wildlife Research Center Online. <<http://www.npwrc.usgs.gov/resource/plants/fqa/index.htm>>. Accessed 28 October 2014.

United States Department of Agriculture. 2013. The PLANTS Database. Natural Resource Conservation Service. <<http://plants.usda.gov>>. Accessed 30 January 2013.

Submitted 18 September 2014. Accepted 19 March 2015.  
Associate Editor was J. Butler.